



SPECIALTY  
PRODUCTS  
GROUP®

# SAFETY DATA SHEET

## VAPOR LOCK™ 20/23

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

PRODUCT NAME	VAPOR LOCK™ 20/23		
PRODUCT USE	Water-based concrete admixture that stops the route of moisture migration		
MANUFACTURER'S NAME	<b>Specialty Products Group</b> 6254 Skyway Rd, PO Box 915 Smithville ON L0R 2A0		
SUPPLIER'S NAME	<b>SPG Australia</b> Tel 1-877-957-4626 Fax 1-905-527-0606 P: 08 8426 0352 E: info@sppgogreen.com.au		
EMERGENCY NUMBER	Emergency Services Poisons Information Line (24hrs)	000 13 11 26	3909 Witmer Rd Suite 1014 Niagara Falls NY 14305  PO Box 33, Adelaide Airport SA 5950

### 2. HAZARDS IDENTIFICATION

GHS CLASSIFICATION: Flammability 5, Reactivity 5, Health 4	
ROUTE OF ENTRY	Eye contact, Ingestion, Inhalation, Skin contact.
CARCINOGENIC STATUS	Not considered carcinogenic by NTP, IARC, and OSHA.
TARGET ORGANS	Eye, Skin, and lungs
HEALTH EFFECTS – EYE	Moderate irritation expected
HEALTH EFFECTS – SKIN	Moderate irritation expected.
HEALTH EFFECTS – INGESTION	May cause irritation to the mouth, esophagus and stomach and damage to kidney (chronic ingestion).
HEALTH EFFECTS – INHALATION	Spray mist is irritating to the respiratory system.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients are non-hazardous and proprietary	
---	--

### 4. FIRST AID MEASURES

FIRST AID – INHALATION	No inhalation hazard expected.
FIRST AID – SKIN	Rinse skin with water. Remove contaminated clothing and shoes.
FIRST AID – EYE	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention.
FIRST AID – INGESTION	If swallowed, rinse mouth with water if discomfort or diarrhea persist call for medical assistance.

#### INFORMATION FOR DOCTOR

**Most important symptoms and effects, both acute and delayed.**

No further relevant information

**Indications of any immediate medical attention and special treatment needed.**

No further relevant information available.

### 5. FIRE FIGHTING MEASURES

CONDITIONS OF FLAMMABILITY	Non-flammable. Will not support combustion.
EXTINGUISHING MEDIA	Is compatible with all extinguishing media.
SPECIAL HAZARDS OF PRODUCT	Dries to powdery material.
PROTECTIVE EQUIPMENT FOR FIRE FIGHTING	N/A
EXPLOSION DATA – SENSITIVITY TO IMPACT	N/A
EXPLOSION DATA – SENSITIVITY TO STATIC DISCHARGE	N/A

### 6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES	Small spills – Mop up and allow to enter drain or dispose of in accordance with federal, provincial and local regulations or permits. Large spills: dispose of in accordance with federal, provincial and local regulations or permits.
PERSONAL PRECAUTIONS	Minimize exposure
ENVIRONMENTAL PRECAUTIONS	Unless for intended use, prevent entry into water system

#### REFERENCES TO OTHER SECTIONS

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment

See Section 13 for disposal information

# VAPOR LOCK™ 20/23

## 7. HANDLING AND STORAGE

HANDLING	Avoid contact with eyes, skin and clothing. Keep container closed.
STORAGE	Keep container closed. Store in plastic containers.
<b>INFORMATION ABOUT PROTECTION AGAINST EXPLOSION AND FIRE</b>	
Not a fire or explosive hazard	
<b>SPECIFIC END USE(S)</b>	
No further relevant information available	

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROL MEASURES	Use with adequate ventilation. Keep containers closed. Safety shower and eyewash fountain should be within direct access.
RESPIRATORY PROTECTION	None
HAND PROTECTION	Wash hands after use
EYE PROTECTION	Avoid splashing or spray into eyes
BODY PROTECTION	Avoid body contact – wash or rinse any sprayed area
PROTECTION DURING APPLICATION	No special protection required

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Liquid
ODOR & APPEARANCE	Odorless, Clear
ODOR THRESHOLD (ppm)	NA
SPECIFIC GRAVITY	1.01 -1.03
VAPOR DENSITY (AIR = 1)	ND
VAPOR PRESSURE at 20°C	ND
EVAPORATION RATE	ND
BOILING POINT (°C)	100.C
FREEZING POINT (°C)	ND
pH	10-12
COEFFICIENT OF WATER/OIL DISTRIBUTION	6.5 -7.5
SOLUBILITY IN WATER	Miscible
VOC (g/l)	0
FLASH POINT (PMCC) (°C/°F)	Non-flammable.
UPPER FLAMMABLE LIMIT %VOL	NA
LOWER FLAMMABLE LIMIT %VOL	NA
AUTOIGNITION TEMP (°C/°F)	NA

## 10. STABILITY AND REACTIVITY

STABILITY	Stable under normal conditions
CONDITIONS TO AVOID	Do Not Freeze
MATERIALS TO AVOID	None
HAZARDOUS POLYMERIZATION	Will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS	None

## 11. TOXICOLOGICAL INFORMATION

EFFECTS OF ACUTE EXPOSURE	Irritation to the eyes and skin is expected. Mild irritation to mouth, throat, nausea, vomiting, and abdominal pain. On inhalation of liquid will cause irritation to mucous membranes.
EFFECTS OF CHRONIC EXPOSURE	NA
EXPOSURE LIMITS	NA
IRRITANCY	Moderate irritation expected
SENSITIZATION	ND
CARCINOGENICITY	Not listed as a carcinogen by IARC, NTP or OSHA.
REPRODUCTIVE TOXICITY	ND
TERATOGENICITY	ND
MUTAGENICITY	ND
TOXICOLOGICALLY SYNERGISTIC PRODUCTS	ND

# VAPOR LOCK™ 20/23

## 12. ECOLOGICAL INFORMATION

MOBILITY	Completely miscible with water
PERSISTENCE/DEGRADABILITY	This product is not persistent in aquatic systems
BIO-ACCUMULATION	Not know to bio-accumulate
ECOTOXICITY	None known

## 13. DISPOSAL CONSIDERATIONS

PRODUCT DISPOSAL	Dispose of in accordance with all applicable local and national regulation. No special method required
CONTAINER DISPOSAL	Labels should not be removed from containers until they have been cleaned.
<b>UNCLEANED PACKAGINGS</b>	
<b>Recommendation:</b> No special method required	



## 14. TRANSPORTATION INFORMATION

AUSTRALIA	TDG CLASSIFICATION
HAZARD LABEL            NOT REQUIRED	NOT REGULATED, Keep from freezing
<b>EXPORT</b>	NOT REGULATED
DOT CFR 172.101 DATA	NOT REGULATED
UN PROPER SHIPPING NAME	NA
UN CLASS	NA
UN NUMBER	NA
UN PACKAGING GROUP	NA
FLASH POINT	NA
HAZARDOUS MATERIAL	NA
HAZARD LABEL	NA
MARINE POLLUTANT	NA
SPECIFIC PRECAUTIONS FOR USER	NA

## 15. REGULATORY INFORMATION

WHMIS CLASSIFICATION: Not regulated
CEPA STATUS (DSL): All of the ingredients of this product are listed on the Domestic Substances List.
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by CPR.

## 16. OTHER INFORMATION

	HMIS hazard ID:		NFPA hazard ID:
	5-MINIMAL 4-SLIGHT 3-MODERATE 2-SERIOUS 1-SEVERE		0-MINIMAL 1-SLIGHT 2-MODERATE 3-SERIOUS 4-SEVERE
ABBREVIATION KEY	NA:	No applicable information found or available	
	CAS#:	Chemical Abstracts Service Number	
	ACGIH:	American Conference of Governmental Industrial Hygienists	
	OSHA:	Occupational Safety and Health Administration	
	TLV:	Threshold Limit Value	
	PEL:	Permissible Exposure Limit	
	STEL:	Short Term Exposure Limit	
	NTP:	National Toxicology Program	
	IARC:	International Agency for Research on Cancer	
	R:	Risk	
	S:	Safety	
	LD50:	Lethal Dose 50%	
LC50:	Lethal Concentration 50%		

## VAPOR LOCK™ 20/23

PREPARED BY:	SPG Australia
ISSUE DATE:	26/09/2022
REASON FOR ISSUE:	Revised

Provided data is offered in good faith as typical values and not as a product specification. No warranty, either express or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable, however, each user should review these recommendations.